CLAIMS

What is claimed is:

1	1. An application creation tool, comprising:				
2	a first component, wherein a name of the first component in accordance with a				
3	naming scheme is based on a plurality of attributes for an application which the first				
4	component creates; and				
5	a second component, wherein a name of the second component in accordance with				
6	the naming scheme is based on the plurality of attributes for the application which the				
	second component creates.				
ii Ii					
	2. The application creation tool of claim 1, wherein the plurality of attributes				
12 12 12 12 12 12 12 12 12 12 12 12 12 1	comprises at least one of:				
	a programming language;				
	an application type;				
- 5	a server type; and				
6	a service type.				
1	3. The application creation tool of claim 1, wherein the first component is a first				
2	Java class.				

4.

1

The application creation tool of claim 1, wherein the second component is a

2	second Java class.
	√
1	5. A system, comprising:
2	a server;
3	a client coupled to the server, wherein the client comprises a server application
4	creation tool, wherein the server application creation tool comprises:
5.	a first component, wherein a name of the first component in accordance with
6	a naming scheme is based on a plurality of attributes for a server application which the first
7	component creates, and
	a second component, wherein a name of the second component in accordance
	with the naming scheme is based the plurality of attributes for the server application which
37/	the second component creates.
	6. The system of claim 5, wherein the plurality of attributes comprises at least
	one of:
- 3	a programming language;
4	an application type;
5	a server type; and
6	a service type.
1	7. The system of claim 5, wherein the first component is a first lava class

1	ę	8.	The system of claim 5, wherein the second component is a second Java class.
1		9.	A method for creating a server application, comprising the steps of:
2		(a)	issuing a service request for a server application creation tool;
3		(b)	gathering a plurality of attributes for a server application to be created;
4		(c)	creating a name of a component using the gathered attributes using a naming
5	scher	me; and	
6		(d)	loading a component having the created name.
	one o	a prog an app	The method of claim 9, wherein the plurality of attributes comprises at least gramming language; plication type; er type; and lice type. The method of claim 9, wherein the component is a Java class.
1		12.	A computer readable medium with program instructions for creating a server
2	appli	cation, th	ne instructions comprising the steps of:
3		(a)	issuing a service request for a server application creation tool;
4		(b)	gathering a plurality of attributes for a server application to be created;

5

(c)

loading a component having the created name. The medium of claim 12, wherein the plurality of attributes comprises at least

creating a name of a component using the gathered attributes using a naming